## Custom order information sheet

## Ferrofluid

## **GENERAL**

Company Name				Date. /	/
Location					
Phone Number	Fax		e-mail		
Name	Department				
Desired material	□ Ferrofluid □ MRflu	id 🗆 Magr	netic compound	I fluid (MCF).	
Hopefully effects					
Purpose					
Temperature condition	Min.	°C	Мах.		°C
Humidity condition	Min.	RH%	Min.		RH%
Life time	h @	°C	l		,c
Contact material to ferrofluid	□ Metal □ Rubber	☐ Resin☐ Others	(		)
Base fluid	☐ Water	☐ Alcohol	(		)
	☐ Synthetic oil	☐ Hydrocarb			)
		☐ Ester	(		)
		☐ Others	(		)
	☐ Solvent  Saturation Magnetization	☐ Others	Viscosity		)
Physical properties	Saturation Magnetization		VISCOSITY		
Price					
Volume plan	/Month	Lead time			
Remarks					
Internal use					
			Forma	t number:F72	001-2 R4



## **Ferrotec Corporation**

5th Floor, Nihonbashi Plaza Building 2-3-4, Nihonbashi, Chuo-ku, Tokyo, 103-0027, Japan TEL: **+81 (0)3 3281 8808** (switch) FAX: **+81 (0)3 3281 8848** Mail address: **ffsales@ferrotec.co.jp** Division: **Magnetic Material**